

Revision Date 11-Feb-2021 Version 5.02

1. Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier
- Product name VANDEX MINERALIT
- **<u>1.2</u>** Relevant identified uses of the substance or mixture and uses advised against
- Recommended Use Sealant
- Product category PC10 Building and construction mixtures not covered elsewhere
- 1.3 Details of the supplier of the safety data sheet

Supplier Vandex Isoliermittel-Gesellschaft Industriestrasse 21 D-21493 Schwarzenbek Phone: +49 4151 89 15-0 Fax: +49 4151 89 15 50

> Tremco CPG Schweiz AG Sihlbruggstrasse 144 CH-6340 Baar Phone: +41 41 760 1212 Fax: +41 41 760 13 20

This telephone number is available during office hours only.

For further information, please contact: ehs@vandex.com

1.4 Emergency telephone number

Emergency telephone number	Chemtrec: +1 703-527-3887 ex-USA
	Chemtrec: 1-800-424-9300 USA
Europe	112
Austria	+43 1 406 43 43
Belgium	Poison center (BE): +32 70 245 245
Denmark	Poison Control Hotline (DK): +45 82 12 12 12
Finland	Poison Information Centre (FI):+358 9 471 977
France	ORFILA (FR): + 01 45 42 59 59
Germany	Poison Center Berlin (DE): +49 030 30686 790
	Poison Center Nord: +49 551 19240 (24h available English / German)
Ireland	National Poisons Information Centre (IE): +353 1 8379964 / + 353 1 8092566
Iceland	+354 543 2222
Italy	Poison Center, Milan (IT): +39 02 6610 1029
Luxembourg	112
Netherlands	National Poisons Information Center (NL): +31 30 274 88 88 (NB: this service is only
	available to health professionals)
Norway	Poisons Information (NO):+ 47 22 591300
Portugal	Poison Information Center (PT): +351 800 250 250
Spain	Poison Information Service (ES): +34 91 562 04 20
Spain	

Sweden Switzerland United Kingdom Poisons Information Center (SV):+46 8 33 12 31 Poison Center: Tel 145; +41 44 251 51 51 111 / 0300 020 0155

2. Hazards identification

2.1 Classification of the substance or mixture

REGULATION (EC) No 1272/2008

Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008

2.2 Label elements

Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008 Signal Word None

EUH208 - Contains (OLIGOMER) 1,6 Hexanediamine, N1,N1,N6,N6-tetramethyl-, propoxylated (> 1<4,5 mol PO) May produce an allergic reaction

Precautionary Statements - EU (§28, 1272/2008)

P102 - Keep out of reach of children
P260 - Do not breathe dust/fume/gas/mist/vapors/spray
P280 - Wear protective gloves/protective clothing/eye protection/face protection
P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P310 - Immediately call a POISON CENTER or doctor/physician
P301 + P330 + P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting
P312 - Call a POISON CENTER or doctor if you feel unwell

2.3. Other Hazards

This product is alkaline.

3. Composition/information on ingredients

3.1 Substances

This product is a mixture. Health hazard information is based on its components.

3.2 Mixtures

Chemical Name	EC-No	CAS No.	Weight-%	Classification (1272/2008/EC)	REACH Registration Number
Silicic acid, potassium salt	215-199-1	1312-76-1	10 - 25	Skin Corr. 2 (H315):SCL C>=40 % Eye Dam. 2 (H319):SCL C>=40%	01-2119456888-17-XX XX
Isopropyl alcohol	200-661-7	67-63-0	1 - 2.5	Eye Irrit. 2 (H319) STOT SE 3 (H336) Flam. Liq. 2 (H225)	01-2119457558-25-xxx x
(OLIGOMER) 1,6 Hexanediamine, N1,N1,N6,N6-tetramethyl-, propoxylated (> 1<4,5 mol PO)	-	158451-78-6	< 0.1	Skin Corr. 1A (H314) Eye Dam. 1 (H318) Skin Sens. 1A (H317)	01-2120756121-65

For the full text of the H-Statements mentioned in this Section, see Section 16

4. First Aid Measures

4.1 Description of first-aid measures

General advice	If symptoms persist, call a physician. Remove contaminated clothing and shoes. Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.		
Inhalation	Move to fresh air. If inhaled, remove to fresh air. Call a physician or poison control center immediately.		
Skin contact	Rinse immediately with plenty of water and seek medical advice. Wash off immediately with soap and plenty of water. Remove all contaminated clothes and shoes. Call a physician or poison control center immediately.		
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Call a physician or poison control center immediately.		
Ingestion	Do NOT induce vomiting. Gently wipe or rinse the inside of the mouth with water. Never give anything by mouth to an unconscious person. Consult a physician.		
4.2 Most important symptoms and effects, both acute and delayed			
Symptoms	Causes burns.		
4.3 Indication of any immediate medical attention and special treatment needed			
Notes to physician	Treat symptomatically.		

5. Fire-Fighting Measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment, The product itself does not burn, Use water spray, fog, Carbon dioxide (CO₂), foam or dry chemical.

Extinguishing media which shall not be used for safety reasons

High volume water jet.

5.2 Special hazards arising from the substance or mixture

No hazardous decomposition products are known.

5.3 Advice for firefighters

In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions

Ensure adequate ventilation, especially in confined areas. Refer to protective measures listed in sections 7 and 8. Use personal protective equipment. Contaminated surfaces will be extremely slippery. Evacuate personnel to safe areas.

Advice for emergency responders

For personal protection see section 8.

6.2 Environmental precautions

Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so. Should not be released into the environment. See Section 12 for additional Ecological information.

6.3 Methods and materials for containment and cleaning up

Methods for Containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Pick up and transfer to properly labeled containers.

6.4 Reference to other sections

See Section 8, 13 for additional information.

7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	Do not breathe vapors or spray mist. Do not breathe vapors/dust. Avoid contact with skin, eyes and clothing. Wear personal protective equipment. Remove and wash contaminated clothing before re-use. Do not eat, drink or smoke when using this product.
Hygiene measures	When using, do not eat, drink or smoke. Remove and wash contaminated clothing and gloves, including the inside, before re-use.

7.2 Conditions for safe storage, including any incompatibilities

Storage Conditions

Ensure adequate ventilation. Keep container tightly closed in a dry and well-ventilated place. Protect from frost.

German storage class LGK 8B

7.3 Specific end uses

Specific use(s)

SU19 - Building and construction work

Exposure scenario

No information available.

8. Exposure controls/personal protection

8.1 Control parameters

Exposure Limit Values

Chemical Name	European Union	Austria	Belgium	Denmark	Finland	France
Isopropyl alcohol		STEL 800 ppm	TWA: 200 ppm	TWA: 200 ppm	TWA: 200 ppm	STEL: 400 ppm
67-63-0		STEL 2000 mg/m ³	TWA: 500 mg/m ³	TWA: 490 mg/m ³	TWA: 500 mg/m ³	STEL: 980 mg/m ³
		TWA: 200 ppm	STEL: 400 ppm	•	STEL: 250 ppm	-
		TWA: 500 mg/m ³	STEL: 1000 mg/m ³		STEL: 620 mg/m ³	
Chemical Name	Germany	Iceland	Ireland	Italy	Luxembourg	The Netherlands
Isopropyl alcohol	TWA: 200 ppm	TWA: 200 ppm	TWA: 200 ppm	STEL: 400 ppm		
67-63-0	TWA: 500 mg/m ³	TWA: 490 mg/m ³	STEL: 400 ppm	STEL: 983 mg/m ³		
	_	S*	Skin	TWA: 200 ppm		
		Ceiling: 400 ppm		TWA: 492 mg/m ³		
		Ceiling: 980 mg/m ³		-		
Chemical Name	Norway	Portugal	Spain	Sweden	Switzerland	The United

						Kingdom
Isopropyl alcohol 67-63-0	TWA: 100 ppm TWA: 245 mg/m ³ STEL: 150 ppm STEL: 306.25 mg/m ³	STEL: 400 ppm TWA: 200 ppm	STEL: 400 ppm STEL: 1000 mg/m ³ TWA: 200 ppm TWA: 500 mg/m ³	LLV: 150 ppm LLV: 350 mg/m ³ STV: 250 ppm STV: 600 mg/m ³	STEL: 400 ppm STEL: 1000 mg/m ³ TWA: 200 ppm TWA: 500 mg/m ³	STEL: 500 ppm STEL: 1250 mg/m ³ TWA: 400 ppm TWA: 999 mg/m ³
TWA:Time weighted averageSTEL:Short term exposure limitLLV:Exposure Limit ValuesSTV:Short Term Value			limit			
Derived No Effect L	evel (DNEL)	No information ava	ailable			
Oral		Isopropyl alcohol (Long term systemi	c-effects): 26 mg/l	kg/bw/d (Consume	r)
Dermal		Isopropyl alcohol (Long term systemic-effects): 319 mg/kg/bw/d (Consumer) // (worker): mg/kg/bw/d			er) // (worker): 888	
Precautionary S Inhalation	tatements -	Isopropyl alcohol (Long term systemic-effects): 89 mg/m³ (Consumer) // (Worker): 500 mg/m³			Worker): 500	
Predicted No Effect (PNEC)	Concentration	ion No information available				
Fresh Water140.9 mg/l (Isopropyl alcohol)						
Sea Water		140.9 mg/l (Isopropyl alcohol)				
Soil		28 mg/kg (Isopropyl alcohol)				
8.2 Exposure contr	<u>ols</u>					
Engineering Measures		Ensure adequate ventilation, especially in confined areas.				
Personal protective equipment Eye/Face Protection Hand Protection		Tightly fitting safety goggles. Wear chemical-resistant glasses and/or goggles and a face shield when eye and face contact is possible due to handling and processing of material. Rubber/latex/neoprene or other suitable chemical resistant gloves. Impervious butyl rubber gloves. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.				
Skin and body protection		Long sleeved clothing. Chemical resistant apron. Wear impervious gloves and/or clothing if				
Respiratory protection		needed to prevent contact with the material. In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and				
Recommended	Filter type:	protective suit. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.			entration and	
Hygiene measures		When using, do not eat, drink or smoke. Remove and wash contaminated clothing and gloves, including the inside, before re-use.			l clothing and	
Environmental Expo	osure Controls	bls Prevent product from entering drains. Do not allow material to contaminate ground water system.			e ground water	

9. Physical and chemical properties

9.1 Information on basic physical and chemical propertiesPhysical stateLiquid

Physical state	
Appearance	
Color	
Odor	
Odor Threshold	

Liquid aqueous solution Colorless Odorless No information available

Property	<u>Values</u> 11.4	<u>Remarks</u>
pH Melting/freezing point		No information available
Boiling point/boiling range Flash Point Evaporation rate	100 °C / 212 °F	No information available No information available
Flammability (solid, gas) Flammability Limits in Air		No information available
upper flammability limit lower flammability limit		No information available No information available
Vapor pressure Vapor density		No information available No information available
Specific Gravity Water solubility	Miscible with water	No information available
Solubility in other solvents Partition coefficient		No information available No information available
Autoignition temperature Decomposition temperature		No information available No information available
Viscosity, kinematic Viscosity, dynamic		No information available No information available
Explosive properties Oxidizing Properties		No information available No information available
9.2 Other information		
Volatile organic compounds (VOC)	content ~1%	

Volatile organic compounds (VOC) content Bulk Density ~1% approx. 1.14 kg/l

10. Stability and Reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

None under normal processing.

10.4 Conditions to Avoid

Protect from frost, heat and sunlight.

10.5 Incompatible Materials

Acids, powdered metal

10.6 Hazardous Decomposition Products

None under normal use conditions.

11. Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product Information

Product does not present an acute toxicity hazard based on known or supplied information at the Product level.

Inhalation	None under normal use conditions.
Eye contact	None under normal use conditions.
Skin contact	None under normal use conditions.
Ingestion	None under normal use conditions.

Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation	
Isopropyl alcohol	5840 mg/kg (Rat)	= 13,900 mg/kg (Rabbit)	= 72600 mg/m ³ (Rat)4 h	
Skin corrosion/irritation	No information available.			
Serious eye damage/eye irritati	on No information available.			
Respiratory or skin sensitization No information available.				
Germ cell mutagenicity No information available.				
Carcinogenicity No information available.				
Reproductive toxicity	No information available.			
Specific target organ systemic No information available.				

No information available.
No information available.
No information available.
No information available.

12. Ecological information

12.1 Toxicity

Ecotoxicity effects

Discharge to water will affect pH and harm aquatic organisms. Neutralization is normally necessary before waste water is discharged into water treatment plants

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other
			aquatic invertebrates
Silicic acid, potassium salt		LC50: 96 h Lepomis macrochirus	
		301 - 478 mg/L LC50: 96 h	
		Brachydanio rerio 3185 mg/L	
		semi-static	
Isopropyl alcohol	EC50: 96 h Desmodesmus	LC50: 96 h Pimephales promelas	EC50: 48 h Daphnia magna 13299
	subspicatus 1000 mg/L EC50: 72 h	9640 mg/L flow-through LC50: 96 h	mg/L
	Desmodesmus subspicatus 1000	Pimephales promelas 11130 mg/L	-
	mg/L	static LC50: 96 h Lepomis	
	_	macrochirus 1400000 µg/L	

12.2 Persistence and degradability

No information available.

12.3 Bioaccumulative potential

No information available.

Chemical Name	log Pow
Isopropyl alcohol	0.05

12.4 Mobility in soil

Mobility in soil

No information available.

Mobility

No information available.

12.5 Results of PBT and vPvB assessment

This substance is not considered to be persistent, bioaccumulating nor toxic (PBT). This substance is not considered to be very persistent nor very bioaccumulating (vPvB).

12.6 Other adverse effects.

No information available.

13. Disposal Considerations		
13.1 Waste treatment methods		
Waste from residues / unused products	If recycling is not practicable, dispose of in compliance with local regulations.	
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal.	
Other information	According to the European Waste Catalog, Waste Codes are not product specific, but application specific.	

14. Transport Information

ADR	
14.1 UN	Not regulated
14.2 Proper shipping name	Not regulated
14.3 Hazard class	Not regulated
14.4 Packing Group	Not regulated
14.5 Environmental hazard	Not applicable
14.6 Special Provisions	None
IMDG	
14.1 UN	Not regulated
14.2 Proper shipping name	Not regulated
14.3 Hazard class	Not regulated
14.4 Packing Group	Not regulated
14.5 Marine pollutant	Not applicable
14.6 Special Provisions	None
14.7 Transport in bulk according to	No information available
MARPOL 73/78 and the IBC Code	
14.1 UN	Not regulated
14.2 Proper shipping name	Not regulated
14.3 Hazard class	Not regulated
14.4 Packing Group	Not regulated

15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Not applicable

None

00-4

National regulatory information Germany WGK Classification

14.5 Environmental hazard

14.6 Special Provisions

Hazardous to water/Class 1

Denmark - MAL Factor

Chemical NameFrench RG numberTitleIsopropyl alcoholRG 84-67-63-0--

European Union

Take note of Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work Take note of Dir 94/33/EC on the protection of young people at work. Take note of Dir 92/85/EEC on the safety and health at work of pregnant workers

Authorizations and/or restrictions on use:

This product does not contain substances subject to authorization (Regulation (EC) No. 1907/2006 (REACH), Annex XIV) This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Persistent Organic Pollutants

Not applicable

International Inventories

TSCA EINECS/ELINCS	Complies Complies
DSL	Complies
PICCS	Complies
ENCS	Complies
IECSC	Complies
AICS	Complies
KECL	-
NZIOC	-

Legend

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances **DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

PICCS - Philippines Inventory of Chemicals and Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

AICS - Australian Inventory of Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

NZIOC - New Zealand Inventory of Chemicals

15.2 Chemical Safety Assessment

No information available

16. Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H314 - Causes severe skin burns and eye damage

- H315 Causes skin irritation
- H317 May cause an allergic skin reaction
- H318 Causes serious eye damage
- H319 Causes serious eye irritation
- H336 May cause drowsiness or dizziness
- H225 Highly flammable liquid and vapor

Prepared By	Vandex Regulatory Affairs/Product Safety
Revision Date	11-Feb-2021
Revision Note	(M)SDS sections updated, 1, 16.

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet